

Table S2. Primers used in PCR and RT-qPCR experiments

		Forward	Reverse
Figure 3A	green	AAATCTCGGCCAGCGTGTA	GTCTGGGTAACGGGAGAAGC
Figure 3A	cyan	ATCACCCCTGGGTATGGACGA	TTGAAGGCGCAGCTGTAGAA
Figure 6C	<i>Dad</i>	AACTGAAGCGACTGCCCACT	TTTTGAGCGTTGGTACGGCG
Figure S4A, B	<i>brat</i>	AGTCCCCCGGAATGACAACC	GGAAGCGAAGAAGTGGTGCG
Figure S4A	<i>asl</i>	TGCAGGATCAGAAACGACGC	AGCGGTTTATGGTGCGGATG
Figure S4A, B	<i>hid</i>	GTACCAGAGCCAGCAGAGTG	CCGTGCGGAAAGAACACATC
Figure S4A	<i>Lox11</i>	GGCAAAAGTACACCTGTGGCA	ACATCGGTGTAGGTGTCTGCG
Figure S4A, B	<i>sin1</i>	CTCCCACATCCGCAACTCCT	TCATCGCTCAGCATCACCGT
Figure S4A	<i>upd3</i>	AGATTCTGCCCCGTCTGAA	TGTTGCGCATGTACGTGAAGG