

**Table S1. Primer Sequences.**

Primers sequences used to synthesize dsRNA specific for *exc-2* isoforms. T7 promoters are underlined.

<b>Primer</b>	<b>Sequence (5'-to-3')</b>
<i>exc-2</i> isoforms A, B, C (Fwd)	<u>TAATACGACTCACTATAGGG</u> ACCACATCGAGTTGAGCCTACAAG
<i>exc-2</i> isoforms A, B, C (Rev)	<u>TAATACGACTCACTATAGGG</u> CTCTCAGGCGGTTGTGATCTGTC
<i>exc-2</i> isoforms A, B, D (Fwd)	<u>TAATACGACTCACTATAGGG</u> TCAACGCCGTCAAAGCTCATC
<i>exc-2</i> isoforms A, B, D (Rev)	<u>TAATACGACTCACTATAGGG</u> CATAATCGGCACGGATGTCACG
<i>exc-2</i> isoform A (Fwd)	<u>TAATACGACTCACTATAGGG</u> C TTCACAACTTGTTGCCGTTCC
<i>exc-2</i> isoform A (Rev)	<u>TAATACGACTCACTATAGGG</u> CATGCGCAGCATCTTGATTAGC
<i>exc-2</i> isoform C (Fwd)	<u>TAATACGACTCACTATAGGG</u> ACCTGAACTTTGCGGGAC
<i>exc-2</i> isoform C (Rev)	<u>TAATACGACTCACTATAGGG</u> CTAAGTACAAAGAAAGTAGTGTATAAAATGAACTG
<i>exc-2</i> isoform D (Fwd)	<u>TAATACGACTCACTATAGGG</u> GAGAAGTAGTATAGGCCGCGTAAG
<i>exc-2</i> isoform D (Rev)	<u>TAATACGACTCACTATAGGG</u> CATAGGTGGAGTCGCAAGG